ELSEVIER

Neuroscience Letters 255 (1998) 178–180

Neuroscience Letters

Author Index to Volume 255

Adams, C.E., see Smith, D.A., 127
Ahn, Y.S., see Chung, K.C., 155
Alcázar, A., Regidor, I., Masjuan, J., Salinas, M., Álvarez-Cermeño, J.C., Induction of apoptosis by cerebrospinal fluid from patients with primary-progressive multiple sclerosis in cultured neurons, 75
Álvarez-Cermeño, J.C., see Alcázar, A., 75
Anwyl, R., see Camodeca, N., 53
Arai, K., Ohata, H., Shibasaki, T., Non-peptidic corticotropin-releasing hormone receptor type 1 antagonist reverses restraint stress-induced shortening of sodium pentobarbital-induced sleeping time of rats: evidence that an increase in arousal induced by stress is mediated through CRH receptor type 1, 103

Babb, T.L., see Mikuni, N., 25
Balzamo, E., see Delpierre, S., 29
Barrier, L., see Page, G., 139
Beart, P.M., see Carroll, F.Y., 71
Bellivier, F., Henry, C., Szöke, A., Schürhoff, F., Nosten-Bertrand, M., Feingold, J., Launay, J.-M., Leboyer, M., Laplanche, J.-L., Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression, 143
Bergmann, I., Reiter, R., Toyka, K.V., Koltzenburg, M., Nerve growth factor evokes hyperalgesia in mice lacking the low-affinity neurotrophin receptor p75, 87
Blessing, W.W., see Yu, Y.-H., 172
Boado, R.J., Brain-derived peptides increase blood–brain barrier GLUT1 glucose transporter gene expression via mRNA stabilization, 147
Buée, L., see Mailliot, C., 13
Burchell, T.R., Faulkner, H.J., Whittington, M.A., Gamma frequency oscillations gate temporally coded afferent inputs in the rat hippocampal slice, 151
Bussière, T., see Mailliot, C., 13

Caillet-Boudin, M.-L., see Mailliot, C., 13
Camodeca, N., Rowan, M.J., Anwyl, R., Induction of LTD by increasing extracellular Ca^{2+} from a low level in the dentate gyrus in vitro, 53
Carceller, F., see Cuevas, P., 1
Carroll, F.Y., Finkelstein, D.I., Horne, M.K., Lawrence, A.J., Crawford, D., Paxinos, G., Beart, P.M., Regional distribution of low affinity kainate receptors in brain of *Macaca fascicularis* determined by autoradiography using [^{3}H](2*S*,4*R*)-4-methylglutamate, 71
Chakravarty, D.N., see Mikuni, N., 25
Chun, M.-H., see Lee, M.-Y., 79
Chung, K.C., Ahn, Y.S., Expression of immediate early gene cyr61 during the differentiation of immortalized embryonic hippocampal neuronal cells, 155
Collin, T., Serotonin induces an increase in D-*myo*-inositol (1,4,5)-trisphosphate 3-kinase activity in rat brainstem slices, 67
Collinge, J., see Hill, A.F., 159
Cox, B.A., Johnson, S.W., Nitric oxide facilitates *N*-methyl-D-aspartate-induced burst firing in dopamine neurons from rat midbrain slices, 131
Crawford, D., see Carroll, F.Y., 71
Cuevas, P., Carceller, F., Redondo-Horcajo, M., Lozano, R.M., Giménez-Gallego, G., Systemic administration of acidic fibroblast growth factor ameliorates the ischemic injury of the retina in rats, 1

Dalby, N.O., West, M., Finsen, B., Hilar somatostatin-mRNA containing neurons are preserved after perforant path kindling in the rat, 45
David, D.J., see Smith, D.A., 127
David, J.P., see Grouselle, D., 21
Dawson, M., see Hill, A.F., 159
Delacourte, A., see Grouselle, D., 21
Delacourte, A., see Mailliot, C., 13
Delpierre, S., Balzamo, E., Jammes, Y., Resistive loading reduces ventilatory response to strychnine in anesthetized rabbits, 29
Desmedt, J.E., see Tomberg, C., 163
DeWitt, D.S., see Hulsebosch, C.E., 83
Dournaud, P., see Grouselle, D., 21

Engberg, G., see Petersson, M., 115
England, J.D., Happel, L.T., Liu, Z.P., Thouron, C.L., Kline, D.G., Abnormal distributions of potassium channels in human neuromas, 37
Epelbaum, J., see Grouselle, D., 21
Erhardt, S., see Petersson, M., 115

Fauconneau, B., see Page, G., 139
Faulkner, H.J., see Burchell, T.R., 151
Feingold, J., see Bellivier, F., 143
Finkelstein, D.I., see Carroll, F.Y., 71
Finsen, B., see Dalby, N.O., 45
Fukuyama, H., Hayashi, T., Katsumi, Y., Tsukada, H., Shibasaki, H., Issues in measuring glucose metabolism of rat brain using PET: the effect of Harderian glands on the frontal lobe, 99
Furue, H., see Yang, K., 135

Garlind, A., Nilsson, E., Palmblad, J., Calcium ion transients in neutrophils from patients with sporadic Alzheimer's disease, 95
Gebicke-Haerter, P.J., see Kitamura, Y., 57
Gerhardt, G.A., see Smith, D.A., 127
Giménez-Gallego, G., see Cuevas, P., 1
Goghari, V., see Zhang, L., 33
Grouselle, D., Winsky-Sommerer, R., David, J.P., Delacourte, A., Dournaud, P., Epelbaum, J., Loss of somatostatin-like immunoreactivity in the frontal cortex of Alzheimer patients carrying the apolipoprotein epsilon 4 allele, 21
Grundy, D., see Hillsley, K., 63

Hadam, J.L., see Mikuni, N., 25
Happel, L.T., see England, J.D., 37

PII S0304-3940(98)00789-7

Hatama, K., see Kusama, T., 17
Hayashi, T., see Fukuyama, H., 99
Heinemann, U., see Stenkamp, K., 119
Henry, C., see Bellivier, F., 143
Hill, A.F., Sidle, K.C.L., Joiner, S., Keyes, P., Martin, T.C., Dawson, M., Collinge, J., Molecular screening of sheep for bovine spongiform encephalopathy, 159
Hillsley, K., Grundy, D., Serotonin and cholecystokinin activate different populations of rat mesenteric vagal afferents, 63
Hirasawa, T., Kudo, Y., Tokimasa, T., Actions of zinc on rapidly inactivating A-type and non-inactivating M-type potassium currents in bullfrog sympathetic neurons, 5
Hoffman, A.F., see Smith, D.A., 127
Holstege, G., see Mouton, L.J., 107
Horne, M.K., see Carroll, F.Y., 71
Huguet, F., see Page, G., 139
Hulsebosch, C.E., DeWitt, D.S., Jenkins, L.W., Prough, D.S., Traumatic brain injury in rats results in increased expression of Gap-43 that correlates with behavioral recovery, 83

Ikekita, M., see Li, A.-J., 41
Ilmoniemi, R.J., see Nikouline, V.V., 91
Imamura, T., see Li, A.-J., 41
Ishii, S., see Shibasaki, T., 9

Jammes, Y., see Delpierre, S., 29
Jenkins, L.W., see Hulsebosch, C.E., 83
Johnson, S.W., see Cox, B.A., 131
Joiner, S., see Hill, A.F., 159

Kakimura, J.-i., see Kitamura, Y., 57
Katsumi, Y., see Fukuyama, H., 99
Keyes, P., see Hill, A.F., 159
Kim, C.-J., see Lee, M.-Y., 79
Kim, H., see Uhm, C.-S., 111
Kim, S.U., see Zhang, L., 33
Kimura, H., see Kitamura, Y., 57
Kish, S.J., see Moszczynska, A., 49
Kitamura, Y., Ota, T., Matsuoka, Y., Okazaki, M., Kakimura, J.-i., Tooyama, I., Kimura, H., Shimohama, S., Gebicke-Haerter, P.J., Nomura, Y., Taniguchi, T., Kainic acid-induced neuronal loss and glial changes in the hippocampal CA3 of p53-deficient mouse, 57
Kizawa, Y., see Kusama, T., 17
Kline, D.G., see England, J.D., 37
Koltzenburg, M., see Bergmann, I., 87
Komi, A., see Li, A.-J., 41
Krieger, C., see Zhang, L., 33
Kudo, Y., see Hirasawa, T., 5
Kulikov, G.A., see Nikouline, V.V., 91
Kumamoto, E., see Yang, K., 135
Kusama, T., Hatama, K., Sakurai, M., Kizawa, Y., Uhl, G.R., Murakami, H., Consensus phosphorylation sites of human $GABA_C$/GABAρ receptors are not critical for inhibition by protein kinase C activation, 17

Laplanche, J.-L., see Bellivier, F., 143
Launay, J.-M., see Bellivier, F., 143
Lawrence, A.J., see Carroll, F.Y., 71
Leboyer, M., see Bellivier, F., 143
Lee, M.-Y., Kim, C.-J., Shin, S.-L., Moon, S.-H., Chun, M.-H., Increased ciliary neurotrophic factor expression in reactive astrocytes following spinal cord injury in the rat, 79
Lee, Y.B., see Zhang, L., 33
Li, A.-J., Tsuboyama, H., Komi, A., Ikekita, M., Imamura, T., Strong suppression of feeding by a peptide containing both the nuclear localization sequence of fibroblast growth factor-1 and a cell membrane-permeable sequence, 41
Lin, S.-M., see Tseng, S.-H., 167
Liu, Z.P., see England, J.D., 37
Lozano, R.M., see Cuevas, P., 1

Mailliot, C., Bussière, T., Caillet-Boudin, M.-L., Delacourte, A., Buée, L., Alzheimer-specific epitope of AT100 in transfected cell lines with tau: toward an efficient cell model of tau abnormal phosphorylation, 13
Martin, T.C., see Hill, A.F., 159
Masjuan, J., see Alcázar, A., 75
Matsumoto, A., see Shinohara, Y., 123
Matsuoka, Y., see Kitamura, Y., 57
McLarnon, J.G., see Zhang, L., 33
Mikuni, N., Babb, T.L., Chakravarty, D.N., Hadam, J.L., Penrod, C.E., NMDAR2 upregulation precedes mossy fiber sprouting in kainate rat hippocampal epilepsy, 25
Moon, S.-H., see Lee, M.-Y., 79
Mori, T., see Shinohara, Y., 123
Moszczynska, A., Turenne, S., Kish, S.J., Rat striatal levels of the antioxidant glutathione are decreased following binge administration of methamphetamine, 49
Mouton, L.J., Holstege, G., Three times as many lamina I neurons project to the periaqueductal gray than to the thalamus: a retrograde tracing study in the cat, 107
Murakami, H., see Kusama, T., 17

Nikouline, V.V., Ilmoniemi, R.J., Kulikov, G.A., Event-related magnetic fields in the auditory cortex of man during unilateral movements: a discriminant function analysis, 91
Nilsson, E., see Garlind, A., 95
Nomura, Y., see Kitamura, Y., 57
Nosten-Bertrand, M., see Bellivier, F., 143

Ohata, H., see Arai, K., 103
Okazaki, M., see Kitamura, Y., 57
Ota, T., see Kitamura, Y., 57

Page, G., Barrier, L., Fauconneau, B., Piriou, A., Tallineau, C., Huguet, F., Membrane carbohydrate conjugates desialylation does not alter [^{3}H]-dopamine uptake in rat striatal slices, 139
Palmblad, J., see Garlind, A., 95
Park, J.-B., see Uhm, C.-S., 111
Paxinos, G., see Carroll, F.Y., 71
Penrod, C.E., see Mikuni, N., 25
Petersson, M., Uvnäs-Moberg, K., Erhardt, S., Engberg, G., Oxytocin increases locus coeruleus alpha 2-adrenoreceptor responsiveness in rats, 115
Piriou, A., see Page, G., 139
Prough, D.S., see Hulsebosch, C.E., 83

Redondo-Horcajo, M., see Cuevas, P., 1
Regidor, I., see Alcázar, A., 75
Reiter, R., see Bergmann, I., 87

Rhyu, I.J., see Uhm, C.-S., 111
Rowan, M.J., see Camodeca, N., 53

Sakurai, M., see Kusama, T., 17
Salinas, M., see Alcázar, A., 75
Schmitz, D., see Stenkamp, K., 119
Schürhoff, F., see Bellivier, F., 143
Shibasaki, H., see Fukuyama, H., 99
Shibasaki, T., see Arai, K., 103
Shibasaki, T., Yamauchi, N., Takeuchi, K., Ishii, S., Sugihara, H., Wakabayashi, I., The growth hormone secretagogue KP-102-induced stimulation of food intake is modified by fasting, restraint stress, and somatostatin in rats, 9
Shimohama, S., see Kitamura, Y., 57
Shin, S.-L., see Lee, M.-Y., 79
Shinohara, Y., Matsumoto, A., Mori, T., Effects of prenatal exposure to diethylstilbestrol on the sympathetic nervous system in the rat ovary, 123
Sidle, K.C.L., see Hill, A.F., 159
Smith, D.A., Hoffman, A.F., David, D.J., Adams, C.E., Gerhardt, G.A., Nicotine-evoked nitric oxide release in the rat hippocampal slice, 127
Sohn, M.B., see Uhm, C.-S., 111
Stefanova, N., γ-Aminobutyric acid-immunoreactive neurons in the amygdala of the rat – sex differences and effect of early postnatal castration, 175
Stenkamp, K., Heinemann, U., Schmitz, D., Dopamine suppresses stimulus-induced field potentials in layer III of rat medial entorhinal cortex, 119
Sugihara, H., see Shibasaki, T., 9
Suh, Y.-S., see Uhm, C.-S., 111
Szöke, A., see Bellivier, F., 143

Takeuchi, K., see Shibasaki, T., 9
Tallineau, C., see Page, G., 139
Taniguchi, T., see Kitamura, Y., 57
Thouron, C.L., see England, J.D., 37
Tokimasa, T., see Hirasawa, T., 5
Tomberg, C., Desmedt, J.E., Human perceptual processing: inhibition of transient prefrontal-parietal 40 Hz binding at P300 onset documented in non-averaged cognitive brain potentials, 163
Tooyama, I., see Kitamura, Y., 57
Toyka, K.V., see Bergmann, I., 87
Tseng, S.-H., Lin, S.-M., Substantia nigra lesion suppresses the antagonistic effects of *N*-methyl-D-aspartate receptor antagonist (MK-801) on the autotomy in the rat, 167
Tsuboyama, H., see Li, A.-J., 41
Tsukada, H., see Fukuyama, H., 99
Turenne, S., see Moszczynska, A., 49

Uhl, G.R., see Kusama, T., 17
Uhm, C.-S., Suh, Y.-S., Park, J.-B., Sohn, M.B., Rhyu, I.J., Kim, H., MK-801, a non-competitive NMDA receptor antagonist, prevents postischemic decrease of inositol 1,4,5-trisphosphate receptor mRNA expression in mongolian gerbil brain, 111
Uvnäs-Moberg, K., see Petersson, M., 115

Wakabayashi, I., see Shibasaki, T., 9
West, M., see Dalby, N.O., 45
Whittington, M.A., see Burchell, T.R., 151
Winsky-Sommerer, R., see Grouselle, D., 21

Yamauchi, N., see Shibasaki, T., 9
Yang, K., Kumamoto, E., Furue, H., Yoshimura, M., Capsaicin facilitates excitatory but not inhibitory synaptic transmission in substantia gelatinosa of the rat spinal cord, 135
Yoshimura, M., see Yang, K., 135
Yu, Y.-H., Blessing, W.W., Constriction of the ear pinna vascular bed accompanies the trigeminal depressor response in rabbits, 172

Zhang, L., McLarnon, J.G., Goghari, V., Lee, Y.B., Kim, S.U., Krieger, C., Cholinergic agonists increase intracellular Ca^{2+} in cultured human microglia, 33